Contents to volume 318

Research Letters

Functional size of the thylakoid phosphatases determined by radiation inactivation (FEBS 12099) *L.H. Hsu, C.M. Tzeng, R.L. Pan* 1

Detection of a plant protein analogous to the yeast spliceosomal protein, PRP8 (FEBS 12120) *H. Kulesza, G.G. Simpson, R. Waugh, J.D. Beggs, J.W.S. Brown* 4

Different *sec*-requirements for signal peptide cleavage and protein translocation in a model *E. coli* protein (FEBS 12114) *I. Nilsson, G. Gafvelin, G. von Heijne* 7

Identification of zinc-binding ligands in the Class II fructose-1,6-bisphosphate aldolase of *Escherichia coli* (FEBS 12115) *A. Berry, K.E. Marshall* 11

Molecular cloning of a novel rat G-protein-coupled receptor gene expressed prominently in lung, adrenal, and liver (FEBS 12121) *J.K. Harrison, C.M. Barber, K.R. Lynch* 17

Kinetic studies of the active sites functioning in the quinohemoprotein fructose dehydrogenase (FEBS 12138) *J. Marcinkeviciene, G. Johansson* 23

A novel nucleosome assembly procedure (with a little help from pectin) (FEBS 12119) *C.H.M. Sobolewski, H.H. Klump, G.G. Lindsey* 27

Glutathione in whole blood: a novel determination using double quantum coherence transfer proton NMR spectroscopy (FEBS 12122) *R.P. Mason, G.H. Cha, G.H. Gorrie, E.E. Babcock, P.P. Antich* 30

Simultaneous solubilization of high-affinity receptors for VIP and glucagon and of a low-affinity binding protein for VIP, shown to be identical to calmodulin (FEBS 12113) *M. Andersson, M. Carlquist, M. Maletti, J.-C. Marie* 35

Identification of domains of a cloned rat brain GABA transporter which are not required for its functional expression (FEBS 12123) *A. Bendahan, B.I. Kanner* 41

Isolation and partial characterization of cholesterol pronucleating hydrophobic glycoproteins associated to native biliary vesicles (FEBS 12126) *J.F. Miquel, L. Núñez, A. Rigotti, L. Amigo, E. Brandan, F. Nervi* 45

Inhibition of myosin ATPase activity by human myasthenia gravis antibodies reactive with the acetylcholine receptor (FEBS 12130) *S. Mohan, K.A. Krolick* 50

Opposite regulations by androgenic and thyroid hormones of V1 myosin expression in the two types of rabbit striated muscle: skeletal and cardiac (FEBS 12129) *A. d'Albis, R. Couteaux, C. Janmot, J.-C. Mira* 53

The temperature-dependent expression of the desaturase gene *desA* in *Synechocystis* PCC6803 (FEBS 12148) *D. Los, I. Horvath, L. Vigh, N. Murata* 57

Evidence for a Rieske-type FeS center in the thermoacidophilic archaebacterium *Sulfolobus acidocaldarius* (FEBS 12131) *S. Anemüller, C.L. Schmidt, G. Schäfer, M. Teixeira* 61

Distribution of β2-adrenergic receptor mRNA expression along the hamster nephron segments (FEBS 12132) *S. Taniguchi, T. Watanabe, A. Nakao, G. Seki, S. Uwatoko, K. Suzuki, K. Kurokawa* 65

Lysolipids reversibly inhibit Ca^{2+}-, GTP- and pH-dependent fusion of biological membranes (FEBS 12133) *L.V. Chernomordik, S.S. Vogel, A. Sokoloff, H.O. Onaran, E.A. Leikina, J. Zimmerberg* 71

The secondary structure of bacteriorhodopsin in organic solution: A Fourier transform infrared study (FEBS 12136) *J. Torres, E. Padrós* 77

Around the growth phase transition *S. cerevisiae*'s make-up favours sustained oscillations of intracellular metabolites (FEBS 12134) *P. Richard, B. Teusink, H.V. Westerhoff, K. van Dam* 80

Presence of a novel primary response gene ST2L, encoding a product highly similar to the interleukin 1 receptor type 1 (FEBS 12139) *K. Yanagisawa, T. Takagi, T. Tsukamoto, T. Tetsuka, S.-i. Tominaga* 83

Inhibition of protein prenylation by patulin (FEBS 12137) *S. Miura, K. Hasumi, A. Endo* 88

Expression of human thromboxane synthase using a baculovirus system (FEBS 12140) *C. Yokoyama, A. Miyata, K. Suzuki, Y. Nishikawa, T. Yoshimoto, S. Yamamoto, R. Nüsing, V. Ullrich, T. Tanabe* 91

Expression cloning of an epithelial amiloride-sensitive Na^+ channel: A new channel type with homologies to *Caenorhabditis elegans* degenerins (FEBS 12149) *E. Lingueglia, N. Voilley, R. Waldmann, M. Lazdunski, P. Barbry* 95

Review Letter

Dynamics of intermediate filaments: Recent progress and unanswered questions (FEBS 12124) *S.D. Georgatos* 101

Research Letters

Avidin attachment to biotinylated amino groups of the erythrocyte membrane eliminates homologous restriction of both classical and alternative pathways of the complement (FEBS 12116) *V.R. Muzykantov, M.D. Smirnov, A.L. Klibanov* 108

Tissue specificity of the regulation of ATP hydrolysis by isolated plant mitochondria (FEBS 12135) *M. Valerio, F. Haraux, P. Gardeström, P. Diolez* 113

The nitrogenase MoFe protein: A secondary structure prediction (FEBS 12125) *D.L. Gerloff, T.F. Jenny, L.J. Knecht, G.H. Gonnet, S.A. Benner* 118

Growth response to 4-hydroxy-L-threonine of *Escherichia coli* mutants blocked in vitamin B_6 biosynthesis (FEBS 12128) *C. Drewke, C. Notheis, U. Hansen, E. Leistner, T. Hemscheidt, R.E. Hill, I.D. Spenser* 125

Downregulation of collagen synthesis in fibroblasts within three-dimensional collagen lattices involves transcriptional and posttranscriptional mechanisms (FEBS 12142) *B. Eckes, C. Mauch, G. Hüppe, T. Krieg* 129

Light-induced structural changes in cytochrome *c* oxidase: Measurements of electrogenic events and absorbance changes (FEBS 12161) *S. Hallén, M. Oliveberg, P. Brzezinski* 134

Cloning of the human taurine transporter and characterization of taurine uptake in thyroid cells (FEBS 12144) *S.M. Jhiang, L. Fithian, P. Smanik, J. McGill, Q. Tong, E.L. Mazzaferri* 139

Structural determinants of ion selectivity in brain calcium channel (FEBS 12146) *M.-S. Kim, T. Morii, L.-X. Sun, K. Imoto, Y. Mori* 145

Decay of superoxide catalyzed by ferritin (FEBS 12147) *B.J. Bolann, R.J. Ulvik* 149

Reversible inactivation and binding to mitochondria of nitrate reductase by heat shock in the yeast *Hansenula anomala* (FEBS 12175) *J.M. Siverio, C. González, A. Mendoza-Riquel, M.D. Pérez, G. González* 153

Affinities of bovine photoreceptor cGMP phosphodiesterases for rod and cone inhibitory subunits (FEBS 12097) *S.E. Hamilton, R.K. Prusti, J.K. Bentley, J.A. Beavo, J.B. Hurley* 157

SC-0051, a 2-benzoyl-cyclohexane-1,3-dione bleaching herbicide, is a potent inhibitor of the enzyme *p*-hydroxyphenylpyruvate dioxygenase (FEBS 12117) *A. Schulz, O. Ort, P. Beyer, H. Kleinig* 162

Modification of the amino acid specificity of tyrosyl-tRNA synthetase by protein engineering (FEBS 12141) *G. de Prat Gay, H.W. Duckworth, A.R. Fersht* 167

Published by Elsevier Science Publishers B.V.

Contents to volume 318

Research Letters

Functional size of the thylakoid phosphatases determined by radiation inactivation (FEBS 12099) *L.H. Hsu, C.M. Tzeng, R.L. Pan* 1

Detection of a plant protein analogous to the yeast spliceosomal protein, PRP8 (FEBS 12120) *H. Kulesza, G.G. Simpson, R. Waugh, J.D. Beggs, J.W.S. Brown* 4

Different *sec*-requirements for signal peptide cleavage and protein translocation in a model *E. coli* protein (FEBS 12114) *I. Nilsson, G. Gafvelin, G. von Heijne* 7

Identification of zinc-binding ligands in the Class II fructose-1,6-bisphosphate aldolase of *Escherichia coli* (FEBS 12115) *A. Berry, K.E. Marshall* 11

Molecular cloning of a novel rat G-protein-coupled receptor gene expressed prominently in lung, adrenal, and liver (FEBS 12121) *J.K. Harrison, C.M. Barber, K.R. Lynch* 17

Kinetic studies of the active sites functioning in the quinohemoprotein fructose dehydrogenase (FEBS 12138) *J. Marcinkeviciene, G. Johansson* 23

A novel nucleosome assembly procedure (with a little help from pectin) (FEBS 12119) *C.H.M. Sobolewski, H.H. Klump, G.G. Lindsey* 27

Glutathione in whole blood: a novel determination using double quantum coherence transfer proton NMR spectroscopy (FEBS 12122) *R.P. Mason, G.H. Cha, G.H. Gorrie, E.E. Babcock, P.P. Antich* 30

Simultaneous solubilization of high-affinity receptors for VIP and glucagon and of a low-affinity binding protein for VIP, shown to be identical to calmodulin (FEBS 12113) *M. Andersson, M. Carlquist, M. Maletti, J.-C. Marie* 35

Identification of domains of a cloned rat brain GABA transporter which are not required for its functional expression (FEBS 12123) *A. Bendahan, B.I. Kanner* 41

Isolation and partial characterization of cholesterol pronucleating hydrophobic glycoproteins associated to native biliary vesicles (FEBS 12126) *J.F. Miquel, L. Núñez, A. Rigotti, L. Amigo, E. Brandan, F. Nervi* 45

Inhibition of myosin ATPase activity by human myasthenia gravis antibodies reactive with the acetylcholine receptor (FEBS 12130) *S. Mohan, K.A. Krolick* 50

Opposite regulations by androgenic and thyroid hormones of V1 myosin expression in the two types of rabbit striated muscle: skeletal and cardiac (FEBS 12129) *A. d'Albis, R. Couteaux, C. Janmot, J.-C. Mira* 53

The temperature-dependent expression of the desaturase gene *desA* in *Synechocystis* PCC6803 (FEBS 12148) *D. Los, I. Horvath, L. Vigh, N. Murata* 57

Evidence for a Rieske-type FeS center in the thermoacidophilic archaebacterium *Sulfolobus acidocaldarius* (FEBS 12131) *S. Anemüller, C.L. Schmidt, G. Schäfer, M. Teixeira* 61

Distribution of β2-adrenergic receptor mRNA expression along the hamster nephron segments (FEBS 12132) *S. Taniguchi, T. Watanabe, A. Nakao, G. Seki, S. Uwatoko, K. Suzuki, K. Kurokawa* 65

Lysolipids reversibly inhibit Ca^{2+}-, GTP- and pH-dependent fusion of biological membranes (FEBS 12133) *L.V. Chernomordik, S.S. Vogel, A. Sokoloff, H.O. Onaran, E.A. Leikina, J. Zimmerberg* 71

The secondary structure of bacteriorhodopsin in organic solution: A Fourier transform infrared study (FEBS 12136) *J. Torres, E. Padrós* 77

Around the growth phase transition *S. cerevisiae*'s make-up favours sustained oscillations of intracellular metabolites (FEBS 12134) *P. Richard, B. Teusink, H.V. Westerhoff, K. van Dam* 80

Presence of a novel primary response gene ST2L, encoding a product highly similar to the interleukin 1 receptor type 1 (FEBS 12139) *K. Yanagisawa, T. Takagi, T. Tsukamoto, T. Tetsuka, S.-i. Tominaga* 83

Inhibition of protein prenylation by patulin (FEBS 12137) *S. Miura, K. Hasumi, A. Endo* 88

Expression of human thromboxane synthase using a baculovirus system (FEBS 12140) *C. Yokoyama, A. Miyata, K. Suzuki, Y. Nishikawa, T. Yoshimoto, S. Yamamoto, R. Nüsing, V. Ullrich, T. Tanabe* 91

Expression cloning of an epithelial amiloride-sensitive Na^+ channel: A new channel type with homologies to *Caenorhabditis elegans* degenerins (FEBS 12149) *E. Lingueglia, N. Voilley, R. Waldmann, M. Lazdunski, P. Barbry* 95

Review Letter

Dynamics of intermediate filaments: Recent progress and unanswered questions (FEBS 12124) *S.D. Georgatos* 101

Research Letters

Avidin attachment to biotinylated amino groups of the erythrocyte membrane eliminates homologous restriction of both classical and alternative pathways of the complement (FEBS 12116) *V.R. Muzykantov, M.D. Smirnov, A.L. Klibanov* 108

Tissue specificity of the regulation of ATP hydrolysis by isolated plant mitochondria (FEBS 12135) *M. Valerio, F. Haraux, P. Gardeström, P. Diolez* 113

The nitrogenase MoFe protein: A secondary structure prediction (FEBS 12125) *D.L. Gerloff, T.F. Jenny, L.J. Knecht, G.H. Gonnet, S.A. Benner* 118

Growth response to 4-hydroxy-L-threonine of *Escherichia coli* mutants blocked in vitamin B_6 biosynthesis (FEBS 12128) *C. Drewke, C. Notheis, U. Hansen, E. Leistner, T. Hemscheidt, R.E. Hill, I.D. Spenser* 125

Downregulation of collagen synthesis in fibroblasts within three-dimensional collagen lattices involves transcriptional and posttranscriptional mechanisms (FEBS 12142) *B. Eckes, C. Mauch, G. Hüppe, T. Krieg* 129

Light-induced structural changes in cytochrome *c* oxidase: Measurements of electrogenic events and absorbance changes (FEBS 12161) *S. Hallén, M. Oliveberg, P. Brzezinski* 134

Cloning of the human taurine transporter and characterization of taurine uptake in thyroid cells (FEBS 12144) *S.M. Jhiang, L. Fithian, P. Smanik, J. McGill, Q. Tong, E.L. Mazzaferri* 139

Structural determinants of ion selectivity in brain calcium channel (FEBS 12146) *M.-S. Kim, T. Morii, L.-X. Sun, K. Imoto, Y. Mori* 145

Decay of superoxide catalyzed by ferritin (FEBS 12147) *B.J. Bolann, R.J. Ulvik* 149

Reversible inactivation and binding to mitochondria of nitrate reductase by heat shock in the yeast *Hansenula anomala* (FEBS 12175) *J.M. Siverio, C. González, A. Mendoza-Riquel, M.D. Pérez, G. González* 153

Affinities of bovine photoreceptor cGMP phosphodiesterases for rod and cone inhibitory subunits (FEBS 12097) *S.E. Hamilton, R.K. Prusti, J.K. Bentley, J.A. Beavo, J.B. Hurley* 157

SC-0051, a 2-benzoyl-cyclohexane-1,3-dione bleaching herbicide, is a potent inhibitor of the enzyme *p*-hydroxyphenylpyruvate dioxygenase (FEBS 12117) *A. Schulz, O. Ort, P. Beyer, H. Kleinig* 162

Modification of the amino acid specificity of tyrosyl-tRNA synthetase by protein engineering (FEBS 12141) *G. de Prat Gay, H.W. Duckworth, A.R. Fersht* 167

Published by Elsevier Science Publishers B.V.

Association of the wasp venom peptide mastoparan with electrically neutral lipid vesicles: Salt effects on partitioning and conformational state (FEBS 12143) *G. Schwarz, U. Blochmann* 172

Stereospecific assignments of the leucine methyl resonances in the ^{1}H NMR spectrum of *Lactobacillus casei* dihydrofolate reductase (FEBS 12151) *G. Ostler, A. Soteriou, C.M. Moody, J.A. Khan, B. Birdsall, M.D. Carr, D.W. Young, J. Feeney* 177

Interactions of calreticulin with proteins of the endoplasmic and sarcoplasmic reticulum membranes (FEBS 12145) *K. Burns, M. Michalak* 181

Reduction in the amount of 8-hydroxy-2′-deoxyguanosine in the DNA of SV40-transformed human fibroblasts as compared with normal cells in culture (FEBS 12152) *J. Barciszewski, S.I.S. Rattan, G.E. Siboska, D.E. Otzen, B.F.C. Clark* 186

Fusidic acid-dependent ribosomal complexes protect *Escherichia coli* ribosomes from the action of the type 1 ribosome-inactivating protein crotin 2 (FEBS 12153) *R. Iglesias, C. Escarmis, C. Alegre, J.M. Ferreras, T. Girbés* 189

Cell cycle phase-dependent effect of retinoic acid on the induction of granulocytic differentiation in HL-60 promyelocytic leukemia cells: Evidence for sphinganine potentiation of retinoic acid-induced differentiation (FEBS 12154) *E.K.-W. Hui, B.Y.-M. Yung* 193

Antiserum to carcinoembryonic antigen recognizes a phosphotyrosine-containing protein in human colon cancer cell lines (FEBS 12157) *K.M. Skubitz, T.P. Ducker, A.P.N. Skubitz, S.A. Goueli* 200

The circulating bioactive form of human guanylin is a high molecular weight peptide (10.3 kDa) (FEBS 12156) *M. Kuhn, M. Raida, K. Adermann, P. Schulz-Knappe, R. Gerzer, J.-M. Heim, W.-G. Forssmann* 205

Erratum 211

Cytokine-induced expression of an inducible type of nitric oxide synthase gene in cultured vascular smooth muscle cells (FEBS 12158) *M. Koide, Y. Kawahara, T. Tsuda, M. Yokoyama* 213

Probing the phalloidin binding site of actin (FEBS 12160) *H. Faulstich, S. Zobeley, D. Heintz, G. Drewes* 218

The rat β3-adrenergic receptor gene contains an intron (FEBS 12159) *M. Bensaid, M. Kaghad, M. Rodriguez, G. Le Fur, D. Caput* 223

Preparations of *Rp*-cyclic adenosine 3′,5′-phosphorothioate (*Rp*-cAMPS) can contain biologically active amounts of adenosine (FEBS 12162) *I.F. Musgrave, H.G. Genieser, E. Maronde, R. Seifert* 227

Presence of lipocortins I and IV, but not II and VI, in human platelets (FEBS 12168) *J.A. Eldering, M. Kocher, J.M. Clemetson, K.J. Clemetson, F.J. Frey, B.M. Frey* 231

Differential adrenergic regulation of C/EBPα and C/EBPβ in brown adipose tissue (FEBS 12170) *S. Rehnmark, P. Antonson, K.G. Xanthopoulos, A. Jacobsson* 235

Expression of native dimers of bovine seminal ribonuclease in a eukaryotic cell system (FEBS 12166) *N. Russo, M. De Nigris, A. Di Donato, G. D'Alessio* 242

Functional regulation of GTP-binding protein coupled to insulin-like growth factor-I receptor by lithium during G_1 phase of the rat thyroid cell cycle (FEBS 12150) *K. Takada, H. Tada, T. Takano, S. Nishiyama, N. Amino* 245

Effect of pteridine derivatives on intracellular calcium concentration in human monocytic cells (FEBS 12173) *E. Wöll, G. Weiss, D. Fuchs, F. Lang, H. Wachter* 249

Non-radioactive reverse transcriptase/polymerase chain reaction for quantification of myosin heavy chain mRNA isoforms in various rabbit muscles (FEBS 12176) *H. Peuker, D. Pette* 253

Cyclic ADP-ribose-induced Ca^{2+} release from rat brain microsomes (FEBS 12172) *A.M. White, S.P. Watson, A. Galione* 259

The ligand binding domain of the nicotinic acetylcholine receptor: Immunological analysis (FEBS 12177) *S.G. Kachalsky, M. Aladjem, D. Barchan, S. Fuchs* 264

An enhancer unit of L-type pyruvate kinase gene is responsible for transcriptional stimulation by dietary fructose as well as glucose in transgenic mice (FEBS 12178) *T. Noguchi, M. Okabe, Z. Wang, K. Yamada, E. Imai, T. Tanaka* 269

Transport of prepro-albumin into inverted vesicles prepared from the inner membrane of rat liver mitochondria (FEBS 12179) *H. Ono, T. Yoshida, S. Tuboi* 273

5-Lipoxygenase-activating protein is an arachidonate binding protein (FEBS 12163) *J.A. Mancini, M. Abramovitz, M.E. Cox, E. Wong, S. Charleson, H. Perrier, Z. Wang, P. Prasit, P.J. Vickers* 277

The PPZ protein phosphatases are involved in the maintenance of osmotic stability of yeast cells (FEBS 12165) *F. Posas, A. Casamayor, J. Ariño* 282

Epidermal growth factor inhibits phosphoenolpyruvate carboxykinase gene expression in rat hepatocytes in primary culture (FEBS 12174) *C. Fillat, A. Valera, F. Bosch* 287

Subunit structure of bovine ESF (extracellular-matrix stabilizing factor(s)): A chondroitin sulfate proteoglycan with homology to human Iαi (inter-α-trypsin inhibitors) (FEBS 12180) *G.M. Castillo, D.M. Templeton* 292

v-Ha-Ras insertion/deletion mutants with reduced protease-inhibitory activity have no transforming activity (FEBS 12182) *T. Sawada, S. Sakiyama, T. Hiwasa* 297

Kinetic evidence that His-711 of neutral endopeptidase 24.11 is involved in stabilization of the transition state (FEBS 12183) *N. Dion, H. Le Moual, P. Crine, G. Boileau* 301

Carbohydrate structures of the cell adhesion molecule, contact site A, from *Dictyostelium discoideum* (FEBS 12186) *M. Yoshida, T. Matsui, G. Fuse, S. Ouchi* 305

Characterization of the alternative oxidase protein in the yeast *Hansenula anomala* (FEBS 12187) *S. Sakajo, N. Minagawa, A. Yoshimoto* 310

Evidence for a membrane skeleton in higher plants: A spectrin-like polypeptide co-isolates with rice root plasma membranes (FEBS 12189) *C.D. Faraday, R.M. Spanswick* 313

Pro-urokinase and prekallikrein are both associated with platelets: Implications for the intrinsic pathway of fibrinolysis and for therapeutic thrombolysis (FEBS 12193) *V. Gurewich, M. Johnstone, J.-P. Loza, R. Pannell* 317

Purification of recombinant hepatitis delta antigen expressed in *E. coli* cells (FEBS 12198) *R. Calogero, U. Barbieri, M. Borla, S. Osborne, F. Poisson, F. Bonelli* 322

A human synaptic vesicle monoamine transporter cDNA predicts posttranslational modifications, reveals chromosome 10 gene localization and identifies *Taq*I RFLPs (FEBS 12190) *C.K. Surratt, A.M. Persico, X.-D. Yang, S.R. Edgar, G.S. Bird, A.L. Hawkins, C.A. Griffin, X. Li, E.W. Jabs, G.R. Uhl* 325

Dephosphorylation of human $p34^{cdc2}$ kinase on both Thr-14 and Tyr-15 by human cdc25B phosphatase (FEBS 12204) *R. Honda, Y. Ohba, A. Nagata, H. Okayama, H. Yasuda* 331

Mammalian genomic sequences can substitute for the SV40 AT stretch in sustaining replication of the SV40 origin of replication (FEBS 12205) *I. Galli, S.M.M. Iguchi-Ariga, H. Ariga* 335

Verapamil and diltiazem inhibit receptor-operated calcium channels and intracellular calcium oscillations in rat hepatocytes (FEBS 12206) *F. Striggow, R. Bohnensack* 341

Purification and characterization of the trefoil peptide human spasmolytic polypeptide (hSP) produced in yeast (FEBS 12208) *L. Thim, K. Norris, F. Norris, P.F. Nielsen, S.E. Bjørn, M. Christensen, J. Petersen* 345

Regulation of endothelin-1 action on the perfused rat liver (FEBS 12199) *T.-A. Tran-Thi, N. Kawada, K. Decker* 353

Author Index to Volume 318 358

Contents to Volume 318 362